



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 4
ATLANTA FEDERAL CENTER
61 FORSYTH STREET
ATLANTA, GEORGIA 30303-8960

SEP 12 2018

CERTIFIED MAIL 7009 1680 0002 0143 8197
RETURN RECEIPT REQUESTED

Mr. Billy R. Mayes, P.E.
Utilities Director
City of Dothan
200 Kilgore Drive
Dothan, Alabama 36301

Re: City of Dothan, Alabama
Administrative Order on Consent, Docket No.: CWA-04-2012-4780
Approval of Continuing Sewer System Assessment Program and Infrastructure Rehabilitation Program

Dear Mr. Mayes:

The United States Environmental Protection Agency Region 4 has reviewed the City of Dothan, Alabama's (Dothan) Continuing Sewer System Assessment Program (CSSAP) and Infrastructure Rehabilitation Program (IRP) submitted pursuant to Paragraphs 14 (F) and 14(G), respectively, of the above referenced Administrative Order on Consent (AOC) on October 14, 2016 and May 25, 2018.

The EPA hereby approves the CSSAP and IRP. Please contact Mr. Brad Ammons at (404) 562-9769 or via email at ammons.brad@epa.gov if you should have any questions regarding this matter.

Sincerely,

David M. Apanian, Acting Chief
Municipal and Industrial Enforcement Section
NPDES Permitting and Enforcement Branch

cc: Mr. Adam G. Sowatzka
Partner, King and Spalding

Ms. Daphne Lutz
Alabama Department of Environmental Management